

NA-iTTL (for Nikon) ELECTRONIC FLASH EF-630

* Operation confirmed by SIGMA (as of August 2021.)
This flash correspond with the cameras which are available with Nikon creative lighting system(CLS). Cameras listed below.

	TTL Auto * 1	Autzoom Head	Manual Flash	Distance-priority manual flash	Multiple Flash	AF Assist light * 2	Red-Eye Reduction Function * 3	Designated Receive function * 4	Normal Receive function * 5	Rear-curtain Sync flash function * 3	Exposure control function	FP flash (high-speed sync) * 3	FV Lock photography * 3	Wireless Flash (built-in flash) * 7	Wireless Flash (external flash) * 4
D2X	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D2Xs	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D2Hs	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D3	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	×	✓
D3X	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D3s	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D4	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D4s	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D5	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D6	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D200	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D300	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D300s	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D500	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D600	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D610	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D700	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D750	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D780	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D800 / D800E	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D810	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D810A	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D850	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
Df	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
D3000	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D3100	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D3200	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D3300	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D3400	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D3500	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D5000	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D5100	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D5200	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D5300	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D5500	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D5600	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	×	×	×	✓
D7000	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D7100	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D7200	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓
D7500	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓ * 6	✓	✓	✓	✓	✓	✓

D40	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	×	×	✓
D40x	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	×	×	✓
D50	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	×	×	✓
D60	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	×	×	✓
D70	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	×	×	✓
D70s	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	×	×	✓
D80	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
D90	i-TTL-BL, i-TTL	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Z 6	i-TTL-BL, i-TTL	✓	✓	✓	✓	×	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
Z 7	i-TTL-BL, i-TTL	✓	✓	✓	✓	×	✓	✓	✓	✓	✓	✓	✓	✓	×	✓
Z 7 II	i-TTL-BL, i-TTL	✓	✓	✓	✓	×	✓	✓	✓	✓	✓	✓	✓	✓	×	✓

*1 The exposure control function varies by the light metering modes. Please refer the instruction manual for more information.
 *2 Limited with the center focus point.
 *3 Function settings are made on the camera.
 *4 Using two EF-630s, the flash attached on the camera's hotshoe will be used as the calculate flash.
 *5 Please use the manual flash mode to use the external flash attached on the camera hotshoe.
 *6 Please set to the manual flash mode to use the built-in flash.
 *7 The built-in flash of a camera which has transmitter function for wireless flash shooting will adjust the desired flash exposure automatically even if the EF-630 is detached from the camera.